

FIG. 1




FIG. 2

3 (4, 5) E-MAIL TERMINAL DEVICE




FIG. 3

132		133		134		135	
GROUP NAME FIELD		MAIL ADDRESS FIELD		INPUT FIELD		GROUP NAME INPUT REJECT FLAG FIELD	
To		Cc		Bcc		0:NON-REJECT 1:REJECT	
ABC	ABC0001		ABC0002	ABC0005	3	0	
			ABC0003				
			ABC0004				
BCD0001		BCD0002	BCD0005	5	1		
		BCD0003					
CDE0001				2	0		
		CDE0002					
		CDE0003					
AAA	ABC0001	ABC0002	ABC0003	7	0		
		ABC0004					

131 HYSTERESIS TABLE

FIG. 4




FIG. 5







FIG. 6



*FIG. 7*



*FIG. 8*



*FIG. 9*

MAIL ADDRESS GROUP NAME REGISTRATION

FOLLOWING MAIL ADDRESSES CAN BE REGISTERED AS A GROUP

To	ABC0001
Cc	ABC0002, ABC0003, ABC0004
Bcc	

GROUP NAME AAA

WHEN REGISTERING, INPUT GROUP NAME AND CLICK [REGISTER] BUTTON. WHEN CLICKING [REGISTER-LATER-ON] BUTTON, IT WILL BE INQUIRED AGAIN IF SAME COMBINATION OF MAIL ADDRESSES WILL BE GIVEN NEXT TIME. WHEN CLICKING [NON-REGISTER] BUTTON, NO INQUIRY ABOUT THIS COMBIANTION IS MADE.

REGISTER
REGISTER-LATER-ON
NON-REGISTER

*FIG. 10*

100

MAIL ADDRESS GROUP EDIT		
101 GROUP NAME BOX	102 ADDRESS BOX	
<p>ABC</p> <p>AAA</p> <p>UNREGISTERED</p> <p>UNREGISTERED</p>	<p>To</p> <p>ABC0001</p> <p>Cc</p> <p>ABC0002</p> <p>ABC0003</p> <p>ABC0004</p> <p>Bcc</p> <p>ABC0005</p>	
<p>NEW REGISTRATION</p>	<p>EDIT</p>	<p>DELETE</p>